

Sunlight Readable LCD LED Chassis Mount

32" Wide Sunlight Readable LCD
LED Chassis Mount

Model: JCHW3200HB-B



Features

- Sunlight Readable
- High Contrast Ratio
- Wide Temperature
- Low Power Consumption
- Optional Touch Systems
- VGA to WXGA

Specifications:

Display Type	Chassis Mount
LCD Display	32" TFT LCD Module
Base Panel Supplier	SS Display
Base Panel Model	LT1320AA02
Display Color	8-bits, 16.7M colors
Display Area	697.6845 x 392.256 mm
Brightness	1,500 nits
Resolution	1366 x 768 (WXGA)
Contrast Ratio	1,500 nits
Pixel Pitch (mm)	0.51075 x 0.51075
Viewing Angle	75°/75°(H) 75°/75°(V)
Response Time	16ms (Tr+Tf)
Sync	LVDS
Power Consumption	TBD
Temperature	Operation 0°C~+50°C Storage -20°C~+60°C
Dimension(WxHxD)mm	760.00 x 450.00 x 50.20
Lamp Lifetime (HR)	50,000
Control(AD) Board (Optional)	None
OSD Button	None
OSD Menu	Brightness Contrast H/V Position Color Phase Clock...
LED Driver	JL320
Weight	6,500 g
Optional	Transflective tech Glass Bonding Touch

Specifications are subject to change without notice

Control(AD) Board (Optional)	Standard VGA + DVI + Audio(Optional) Option VGA + DVI + Composite + S-Video + Audio(Optional)
OSD Button	5 Key Power Switch Select(+,-) Down Up Menu

