


# Standalone Dual LCD Display

Standalone 21.5" 1920x1080 1000nits widescreen Dual LCD with VESA Only, DVI+VGA+HDMI on each screen, VESA mounting on center screen, Center and right swing.

**Model: ARP2D2150HB-V1**



## FEATURES:

- Standalone Portable 21.5" 1920 x 1080 High Brightness 1000nits
- Dual DVI + VGA + HDMI Port
- 1920x 1080 high resolution
- Build in 2x 2 watts speakers
- Independent front osd control buttons to optimized display
- Hidden & Independent retractable tray for ultra convenience

## OPTION:

- Composite video input
- HDMI or Display port input
- 3G / HD / SD-SDI broadcast grade input
- DC 9~36 V power input
- AR Hardness glass
- Touch screen

## SPECIFICATIONS

LCD Characteristics :	
Screen Size	Dual 21.5"
Backlight Type	LED
Resolution	1920x1080
Contrast Ratio	400:1
Brightness ( cd/m2 )	1000
View Angles ( H/V )	140/120
Pixel Size ( HxV ) mm	0.1989x0.1989
Max. Color	262K
MTBF ( Hrs. )	10,000

Input Signals:	
DVI-D	Dual DVI-D 24Pin Connector (Female)
VGA	Dual D-SUB 15Pin Connector (Female)
HDMI	x1
Audio	1x 3.5" Jack
Power Input	Standard IEC Inlet
Touch-USB ( option )	Dual USB A Type connector
Touch-RS232 ( option )	Dual D-SUB 9P connector ( Female )

Power Specifications :	
AC Power Input	Standard IEC Type Power Cord with Internal Power adapter, 100-240V AC
Wide Range DC PowerInput ( option )	Screw Type Terminal Block with internal wide Range DC 9-36V power module








User Controls Interface:	
Power ON / OFF via Front Button	
Power Mode Status LED indicator	
OSD ( On Screen Display ) Buttons	

Mechanical and Environment:	
Construction	Metal Housing
Operating Temperature	0 - 50 deg. C
Operating Humidity	5% - 95% ( non -condensing )
Anti-Vibration	5 - 500 Hz / 1 Grms PTP
Anti-Shock	15G / Peak ( 11 ms )
Physical Dimension	W x H x D = TBD
Packing Dimension	W x H x D = TBD
Net Weight / Gross	TBD
Certification and	CE / FCC / RoHs

*\*Specifications subject to change without notice, not responsible for typographical errors.*

**MECHANICAL DRAWINGS:**

*This is subject to change without Notice. Final Drawings Will be Provided for Approval after Order.*



Drawing no.: ARP2D2150HB-V1-11172022-V1

Modified: 11-17-22

