


12.1" Stainless Steel Chassis LCD Monitor, 1024x768
 1000nits, VGA + DVI, 12VDC Input
 AR Glass, VESA Mounting



Model: CCH1210XHBWT-SIP



FEATURES

- 12.1" Industrial Panel / 1024x768 / 1000nits (Modified)
- Operation Temp.: -30C to 70C
- Stainless Steel 304 enclosures with Full IP66 / VESA mount
- AR Glass
- Light Sensor
- I/O (All connectors are waterproof connectors / 6ft long): VGA, DVI and 12VDC Input


SPECIFICATIONS:

Display	Viewing Size Image	12.1"
	Active Display Area (mm)	245.76 (H) x 184.32 (V)
	Pixel Pitch (mm)	0.240(H)x0.240(V)
	Resolution	1024 x 768
	Contrast Ratio	700: 1 (typ.)
	Color	262K,16.2M (6bit/colors)
	Brightness	1000 cd/m2
	Viewing Angle	-80~80 (H) ; -80~80 (V)
	Recommended Resolution	1024 x 768 @ 60Hz, 75Hz
	Signal Connector	VGA,DVI
Power	Source	12V DC in
	Consumption	20W typical, normal operation
	Management	VESA DPMS Compliant

**Specifications subject to change without notice, not responsible for typographical errors.*

MECHANICAL DRAWING:

This is subject to change without Notice. Final Drawings Will be Provided for Approval after Order.



Drawing No.: CCH1210XHBWT-SIP-10312025-V1