

SEMI RUGGED TABLET



8" Ultra-Slim Tablet with IP54 Perfect for Outdoor Readability, 500nits, 1280x800, True-Flat PCAP Multi-Touch

Model: FGW0800




FEATURES:

- Semi-Rugged design IP54, 1.2m drop
- Long battery life upto 6hrs
- Perfect outdoor readability 500nits display
- Great selection of peripherals

GREAT SELECTION OF PERIPHERALS

Module I (Fixed type)



MSR

2D scanner

Fingerprint

MSR + 2D scanner

MSR + Fingerprint

Module II (Slide-out type)



MSR

VP3300

2D scanner + VP3300

Fingerprint + VP3300

MSR + 2D scanner

mPOS Jacket



mPOS Jacket for Miura M010

mPOS Jacket for Ingenico iCMP / ISMP4

mPOS Jacket For Verifone E355

Docking Station



Docking Station

I/O Docking Station

Premium Docking Station

SYSTEM I/O



Tablet

Ambient
Light Sensor

LED
Indicator

Magnesium
Aluminum
Alloy Housing

Programmable
Function Key

Tablet Top Side

Power Button

Tablet Bottom Side

Type-C
(USB2.0)

POGO DC
Interface

SPECIFICATIONS

System	Motherboard	F12
	Processor	Qualcomm 660
	Memory	4GB LPDDR4
	Storage	64GB eMMC
	Supported OS	Up to Android 10
I/O Ports	USB	1x USB 2.0
	DC Jack	1x2 PIN
Display	Size and Resolution	8" 1280x800
	Brightness	500nits
	Touch Screen	True-Flat PCAP multi-touch
Control Indicator	Power Button	1
	Sensor	Gensor; Ambient Light Sensor Hall sensor, Gyro
	LED Indicator	1 (Battery status indicator)
	Vibration	Vibration motor
Audio	Speaker	1x1W

Battery and Power	Battery	3.85V, 7560 mAh (battery life up to 6hrs)
	Power Adapter	36W/12V
Communication	Wireless LAN + BT	802.11 a/b/g/n, 2.4G/5GHz; BT4.0+LE
Camera	Rear Camera	5MP
Certificate	EMC & Safety	FCC Class B, CE Mark Class B, RF; BSMI
Environment	Dust & Water Proof	IP54
	ESD	8kV contact discharge, 15kV air discharge
	Drop Protection	1.2m drop
	Operating Temperature	0°C ~ 40°C (32°F ~ 104°F) (None Charging Mode) 0°C ~ 35°C (32°F ~ 95°F) (Charging Mode)
	Storage Temperature	-10°C ~ 45°C (14°F ~ 114°F)
	Humidity	20% ~ 80% RH non-condensing
Dimensions (WxDxH)	228 x 146 x 16.5 mm (9.0" x 5.7" x 0.6")	
Weight	600g (1.32 lbs.)	

**Specifications subject to change without notice, not responsible for typographical errors.*