

SUNLIGHT READABLE HIGH BRIGHTNESS LCD

STAINLESS STEEL FRONT BEZEL, FRONT IP67

10.4" / 1024 x 768 / 1500nits LED / 1000:1 / VGA + DVI + HDMI input
2mm AR coating Glass / External Auto Dimming Sensor / 15 Watts

Model: YSPM1040HB2



FEATURES:

- **10.4-inch TFT LCD** with 1024 x 768 resolution
- **Ultra high brightness:** 1500 nits LED backlight for excellent sunlight readability
- **High contrast ratio:** 1000:1 for crisp, vivid visuals
- **Stainless steel front bezel** for corrosion resistance and durability
- **Front panel IP67-rated:** Dustproof and water-resistant for harsh environments
- **Multiple video inputs:** VGA, DVI, and HDMI for versatile connectivity
- **2mm AR-coated glass:** Anti-reflective protection improves visibility and screen durability
- **External ambient light sensor:** Auto-dimming functionality for energy efficiency and optimal brightness adjustment
- **Low power consumption:** Only 15 Watts for efficient operation


SPECIFICATIONS

Panel Type	10.4-inch TFT LCD
Screen Diagonal	10.4-inch
Active Display Area (mm)	210.4 (H) x 157.8 (V)
Pixel Pitch (mm)	0.2055 x 0.2055
Number of Pixels	1024 x 3(RGB)x768
Contrast Ratio	1000:1
Display Color	16.2M / 262K colors
Brightness (cd/m)	1500nits
Viewing Angle(Typ.)	89 / 89 / 89 / 89 (R/L/U/D)
Signal Connector	VGA, DVI, HDMI
Power Source	DC +12V(+/-10%)
Power Management	VESA DPMS Compliant
Operating Temperature	-20 ~ +70°C
Plug & Play	VESA DDC 1/2B
IP Code	IP67 (Front Side)

**Specifications subject to change without notice, not responsible for typographical errors.*

MECHANICAL DRAWING:

This is subject to change without Notice. Final Drawings Will be Provided for Approval after Order.




Note :
(1) Unit : mm
(2) Unspecified tolerances are +/- 0.5mm.

Drawing No.: YSPM1040HB2-05062025-V1



ACTUAL PICTURES:



Reference: SO 121337 | Model: YSPM1040HB2

